

DUST MUZZLE GUARDS

DUST MUZZLE™ GUARDS

- transparent & flexible dust control guards
- two guard diameters available
- for 4½" to 5" discs
- for 6" to 7" discs & cups
- range of collar sizes
- cleaner work area & reduced clean up time
- reduced hazards through airborne dust
- effective dust control for fine dust residues
- suitable for concrete, plaster & paint dust

The Dust Muzzle uses the centrifugal forces created by the grinding wheel to push the dust out of the exhaust port

When connected to a 1500 watt dustex vac the Dust Muzzle can remove up to 95% of the pollutants at the point of origin

The Dust Muzzle™ is a flexible, transparent polypropylene dust collection shroud that will retrofit most electric and air powered grinders and sanders

Construction site operators are required to demonstrate that nuisance dust and fine particle emissions from their sites are effectively controlled. Using a Dust Muzzle will prolong the life of your electric tools by keeping abrasive concrete dust away from the motor and bearings

There are a range of different collar sizes for both 4½", 5" and 7" discs that will fit the most popular grinders and sanders from Bosch, Hitachi, Makita and De Walt

Guards are also produced for air powered tools

The collar can be trimmed to suit the depth of the abrasive disc or diamond cup and the front edge can be trimmed back for edging

APPLICATIONS

- muzzle & control dust
- rust & paint dust
- grind & sanddustfree
- sand grp & plastic
- smooth wood & mdf



dust free with vac



365800
7" dustmuzzle
& grinder



365500
5" dustmuzzle
& sander



365800
7" dustmuzzle
& sander



dust exhaust without vac



dust exhaust with vac



DUST MUZZLE GUARDS

DUST GUARD for controlling grinding & sanding dust

Stock no	Description	Width	Depth	Hose Outlet	Collar Sizes Ø	£ ex VAT
365500	dust guard for 4½" - 5" discs	145mm	30mm	32mm id	39, 41, 44, 48, 51, 67, 77, 80mm	18.00

DUST GUARD for controlling grinding & sanding dust

Stock no	Description	Width	Depth	Hose Outlet	Collar Sizes Ø	£ ex VAT
365800	dust guard for 6" - 7" discs	225mm	40mm	32mm id	48, 49, 52, 57, 61, 64, 69, 74mm	19.00

DUST MUZZLE GUARDS

DUST MUZZLE™ GUARDS

- transparent & flexible dust control guards
- two guard diameters available
- for 4½" to 5" discs
- for 6" to 7" discs & cups
- range of collar sizes
- cleaner work area & reduced clean up time
- reduced hazards through airborne dust
- effective dust control for fine dust residues
- suitable for concrete, plaster & paint dust

The Dust Muzzle uses the centrifugal forces created by the grinding wheel to push the dust out of the exhaust port

When connected to a 1500 watt dustex vac the Dust Muzzle can remove up to 95% of the pollutants at the point of origin

The Dust Muzzle™ is a flexible, transparent polypropylene dust collection shroud that will retrofit most electric and air powered grinders and sanders

Construction site operators are required to demonstrate that nuisance dust and fine particle emissions from their sites are effectively controlled Using a Dust Muzzle will prolong the life of your electric tools by keeping abrasive concrete dust away from the motor and bearings

There are a range of different collar sizes for both 4½", 5" and 7" discs that will fit the most popular grinders and sanders from Bosch, Hitachi, Makita and De Walt

Guards are also produced for air powered tools

The collar can be trimmed to suit the depth of the abrasive disc or diamond cup and the front edge can be trimmed back for edging

APPLICATIONS

- muzzle & control dust
- rust & paint dust
- grind & sanddustfree
- sand grp & plastic
- smooth wood & mdf



dust free with vac



365800
7" dustmuzzle
& grinder



365500
5" dustmuzzle
& sander



365800
7" dustmuzzle
& sander



dust exhaust without vac



dust exhaust with vac



DUST MUZZLE GUARDS

DUST GUARD for controlling grinding & sanding dust

Stock no	Description	Width	Depth	Hose Outlet	Collar Sizes Ø	£ ex VAT
365500	dust guard for 4½" - 5" discs	145mm	30mm	32mm id	39, 41, 44, 48, 51, 67, 77, 80mm	18.00

DUST GUARD for controlling grinding & sanding dust

Stock no	Description	Width	Depth	Hose Outlet	Collar Sizes Ø	£ ex VAT
365800	dust guard for 6" - 7" discs	225mm	40mm	32mm id	48, 49, 52, 57, 61, 64, 69, 74mm	19.00

TWO & THREE MOTOR DUSTEX HEPA VACS

TWO & THREE MOTOR DUSTEX VACS

- powerful bypass motor industrial vacuums
- polyester or hepa filters available
- dust control for power tools & machines
- surface preparation machines & floor sanders
- cleaner & more efficient working environment
- reduced hazards through airborne dust
- three stage high efficiency motors
- large area star filter with manual shaker

These dustex vacs use powerful two and three motor vacuums with a sturdy trolley that fits easily into an estate car

They feature independent bypass vacuum motors, cyclone separator, primary star type filter and secondary cartridge Hepa filter

Initial separation is by the internal cyclone that removes the coarser particles. The second stage star filter removes 90% of the remaining dust

The final filter is either a 2 micron cartridge which is fitted as standard or the 1 micron Hepa filter

The units are fitted with a manual filter shaker

A pre-separator is available to further improve dust collection before it gets to the main vac and filter

APPLICATIONS

- effective dust control
- for grinders & cutters
- diamond cutters & routers
- floor & wood sanders

XD402 DUSTEX VAC 2300w

Weight 35kg
Size WxL 58x68cm
Height 136cm
Vacuum 340m³/hr
Noise level 75dBA
Voltage 110v or 230v
Transformer 5kva, 32 amp plug

XD403 DUSTEX VAC 3000w

Weight 37kg
Size WxL 58x68cm
Height 136cm
Vacuum 510m³/hr
Noise level 79dBA
Voltage 110v or 230v
Transformer 5kva, 32 amp plug



DUSTEX INDUSTRIAL MOTOR VACS

DUSTEX CYCLONE VACS, with teflon coated filter, two stage motors, for concrete & paint dust

Stock no	Description	Power	Weight	Motor	Airflow	£ ex VAT
360040	XD402 dustex vac	2300w	35kg	twin	340m ³ /hr	799.00

DUSTEX CYCLONE VACS, with teflon coated filter, three stage motors, for concrete & paint dust

Stock no	Description	Power	Weight	Motor	Airflow	£ ex VAT
360043	XD403 dustex vac	3000w	37kg	triple	510m ³ /hr	899.00

CYCLONE PRE-SEPARATOR, for large volumes of concrete, plaster & paint dust

Stock no	Description	£ ex VAT
360059	pre-separator drum	249.00

DUST EXTRACTION HOSE, for use with dustex vacs

Stock no	Description	ID	Length	£ ex VAT
980502	2" hose assembly with end cuffs	50mm	5m	30.00
980501	2" hose	50mm	per 1 metre	6.00
346054	pair of end cuffs for 2" hose	50mm		10.00

REPLACEMENT FILTER, long life, for concrete & paint dust

Stock no	Description	Size Ø	Length	Filter	£ ex VAT
367102	star teflon coated filter	44cm	37cm	2.5 micron	79.00
367101	star teflon coated filter & frame	44cm	37cm	2.5 micron	109.00
367103	inner cartridge filter	18cm	17cm	2.0 micron	39.00
367105	inner cartridge Hepa filter	18cm	17cm	0.3 micron	79.00